

FINALUX G 605

DESCRIPTION: Lubricant for PVC

SPECIFICATIONS: Appearance: Microbeads

Melting point: 60±5 deg C

(Slight variations in the specifications stated due to raw materials and production conditions are possible though they have no influence on the application properties described.)

APPLICATIONS : - RPVC profiles

- PVC foam sheets

- RPVC injection moulded

- RPVC films/sheets

PROPERTIES : - Compatible internal lubricant and flow improver

- Offers suitable plasticization time

- Superior flow properties beneficial for moulding process of

complicated sections

- Better dimensional stability

- Non-application: Limited compatibility in plasticized PVC

METHOD OF USE: During compounding step

USE LEVEL : 0.5 - 1.0 phr

STABILIZATION: Suitable for use in all commercially available stabilizers

STORAGE : It may form soft agglomerates during transit/storage depending upon

its particle size, compaction caused during stacking of material and

prevailing atmospheric temperatures during transit/storage conditions due to its fatty nature & inherent characteristics. Finer

the particle size more can be such agglomeration. However, this agglomeration does not affect the product's performance. These soft

agglomerates can be broken easily if necessary.

Disclaimer: Information given herein is in good faith but without guarantee since the conditions of use of the product are not in our control. Fine Organic Industries Ltd & it's associate companies expressly disclaims any responsibility for the suitability of the products for any specific or particular purposes by the user and does not assume any liability or risk involved in the use of its products. We recommend that the actual user make tests to determine the suitability of a product for their particular application prior to use. User should refer to SDS and other relevant data for safe handling. The user of the products is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties.

FINALUX G 605 JULY 2022 Page 1 of 1